

NOTIFICATION OF ADDENDUM

ADDENDUM NO. 1

DATED 1/02/2008

Control	0903-30-026, ETC.
Project	BR 2005(373), ETC.
Highway	CR
County	WILBARGER

Ladies/Gentlemen:

Attached please find an addendum on the above captioned project. Included in the attachment is an addendum notification which details the changes and the respective proposal pages which were added and/or changed.

Except for new bid insert pages, it is unnecessary to return any of the pages attached.

Bid insert pages must be returned with the bid proposal submitted to the Department, unless your firm is submitting a bid using a computer print out. The computer print out must be changed to reflect the new bid item information.

Contractors and material suppliers, etc. who have previously been furnished informational proposals are not being furnished a copy of the addendum. If you have a subcontractor on the above project, please advise them of this addendum. Acknowledgment of this addendum is not requested if your company has been issued a proposal stamped "This Proposal Issued for Informational Purposes."

You are required to acknowledge receipt of this addendum on the Addendum Acknowledgement form contained in your bid proposal by placing a mark in the box next to the respective addendum.

Failure to Acknowledge receipt of this addendum in your bid proposal will result in your bid not being read.

SUBJECT: PLANS AND PROPOSAL ADDENDUMS

PROJECT: BR 2005(373)

CONTROL: 0903-30-026

COUNTY: WILBARGER

LETTING: 01/09/2008

REFERENCE NO: 0102

PROPOSAL ADDENDUMS

— PROPOSAL COVER

X BID INSERTS (SH. NO.: 2-5 AND 5-5)

X GENERAL NOTES (SH. NO.: C THRU E)

X SPEC LIST (SH. NO.: 1-3)

— SPECIAL PROVISIONS:

ADDED:

DELETED:

— SPECIAL SPECIFICATIONS:

ADDED:

DELETED:

X OTHER: SEE CHANGES BELOW

DESCRIPTION OF ABOVE CHANGES

(INCLUDING PLANS SHEET CHANGES)

BID INSERTS: SHEET 2-5 - ADDED ALTERNATE 1 TO ITEMS 409-2002 AND 420-2004.

SHEET 5-5 - ADDED ALTERNATE NO.1A ITEMS 416-2002 & 420-2004.

GENERAL NOTES: SHEET C - ADDED GENERAL NOTE ITEM 409.

SHEETS D AND E - REVISED DUE TO SHIFTING.

SHEET F - ADDED DUE TO SHIFTING.

SPEC LIST: SHEET 1-3 - ADDED ITEM 416.

PLAN SHEETS: 7A, 7B AND 8 - REVISED DUE TO ABOVE CHANGES.

ALT	ITEM-CODE			UNIT BID PRICE ONLY. WRITTEN IN WORDS	UNIT	APPROX QUANTITIES	DEPT USE ONLY
	ITEM NO	DESC CODE	S.P. NO.				
	110	2001		EXCAVATION (ROADWAY) and DOLLARS CENTS	CY	890.000	1
	110	2002		EXCAVATION (CHANNEL) and DOLLARS CENTS	CY	1,385.000	2
	132	2005		EMBANKMENT (FINAL)(ORD COMP)(TY C) and DOLLARS CENTS	CY	314.000	3
	164	2001	002	BROADCAST SEED (PERM) (RURAL) (SANDY) and DOLLARS CENTS	SY	3,778.000	4
	164	2009	002	BROADCAST SEED (TEMP) (WARM) and DOLLARS CENTS	SY	3,778.000	5
	164	2011	002	BROADCAST SEED (TEMP) (COOL) and DOLLARS CENTS	SY	3,778.000	6
	168	2001		VEGETATIVE WATERING and DOLLARS CENTS	MG	150.000	7
	169	2003		SOIL RETENTION BLANKETS (CL 1) (TY C) and DOLLARS CENTS	SY	9.000	8
	216	2001		PROOF ROLLING and DOLLARS CENTS	HR	8.000	9
	247	2044	020	FL BS (CMP IN PLC)(TY A GR 4)(FNAL POS) and DOLLARS CENTS	CY	436.000	10

ALT	ITEM-CODE			UNIT BID PRICE ONLY. WRITTEN IN WORDS	UNIT	APPROX QUANTITIES	DEPT USE ONLY
	ITEM NO	DESC CODE	S.P. NO.				
	402	2001		TRENCH EXCAVATION PROTECTION DOLLARS and CENTS	LF	50.000	11
1	409	2002		PRESTR CONC PIL (18 IN SQ) DOLLARS and CENTS	LF	1,369.000	12
	420	2003	002	CL C CONC (ABUT) DOLLARS and CENTS	CY	54.000	13
1	420	2004	002	CL C CONC (BENT) DOLLARS and CENTS	CY	26.400	14
	422	2001		REINF CONC SLAB DOLLARS and CENTS	SF	5,720.000	15
	425	2015		PRESTR CONC SLAB BEAM (5SB12) DOLLARS and CENTS	LF	1,084.000	16
	428	2001		CONC SURF TREAT (CLASS I) DOLLARS and CENTS	SY	636.000	17
	428	2002		CONC SURF TREAT (CLASS II) DOLLARS and CENTS	SY	235.000	18
	432	2002		RIPRAP (CONC)(5 IN) DOLLARS and CENTS	CY	15.000	19
	432	2021		RIPRAP (STONE PROTECTION)(18 IN) DOLLARS and CENTS	CY	207.000	20
	432	2043		BEDDING MATERIAL (3 IN) DOLLARS and CENTS	CY	184.000	21

ALT	ITEM-CODE			UNIT BID PRICE ONLY. WRITTEN IN WORDS	UNIT	APPROX QUANTITIES	DEPT USE ONLY
	ITEM NO	DESC CODE	S.P. NO.				
	450	2011		RAIL (TY T6) and DOLLARS CENTS	LF	650.000	22
	454	2004		ARMOR JOINT and DOLLARS CENTS	LF	48.000	23
	454	2005		ARMOR JOINT (WITH SEAL) and DOLLARS CENTS	LF	96.000	24
	459	2002		GABIONS (GALV) and DOLLARS CENTS	CY	93.000	25
	459	2003		GABION MATTRESSES (PVC) and DOLLARS CENTS	CY	33.000	26
	462	2023		CONC BOX CULV (8 FT X 8 FT) and DOLLARS CENTS	LF	52.000	27
	466	2054		WINGWALL (PW)(HW=10 FT) and DOLLARS CENTS	EA	2.000	28
	496	2009		REMOV STR (BRIDGE 0-99 FT LENGTH) and DOLLARS CENTS	EA	4.000	29
	500	2001	004	MOBILIZATION and DOLLARS CENTS	LS	1.000	30
	502	2001	033	BARRICADES, SIGNS AND TRAFFIC HAN- DLING and DOLLARS CENTS	MO	11.000	31

ALT	ITEM-CODE			UNIT BID PRICE ONLY. WRITTEN IN WORDS	UNIT	APPROX QUANTITIES	DEPT USE ONLY
	ITEM NO	DESC CODE	S.P. NO.				
	506	2001	010	ROCK FILTER DAMS (INSTALL) (TY 1) DOLLARS and CENTS	LF	180.000	32
	506	2009	010	ROCK FILTER DAMS (REMOVE) DOLLARS and CENTS	LF	180.000	33
	506	2024	010	BACKHOE WORK (EROSION & SEDM CONT) DOLLARS and CENTS	HR	20.000	34
	506	2034	010	TEMPORARY SEDIMENT CONTROL FENCE DOLLARS and CENTS	LF	200.000	35
	506	2045	010	BIODEGRADABLE EROSION CONTROL LOGS(12") DOLLARS and CENTS	LF	1,754.000	36
	540	2001		MTL W-BEAM GD FEN (TIM POST) DOLLARS and CENTS	LF	425.000	37
	540	2005		TERMINAL ANCHOR SECTION DOLLARS and CENTS	EA	16.000	38
	552	2001		WIRE FENCE (TY A) DOLLARS and CENTS	LF	100.000	39
	658	2241		INSTL DEL ASSM (D-SW)SZ 1(FLX)GF2(BI) DOLLARS and CENTS	EA	12.000	40
	658	2250		INSTL DEL ASSM (D-SW)SZ 1(RCR)GF2(BI) DOLLARS and CENTS	EA	36.000	41

ALT	ITEM-CODE			UNIT BID PRICE ONLY. WRITTEN IN WORDS	UNIT	APPROX QUANTITIES	DEPT USE ONLY
	ITEM NO	DESC CODE	S.P. NO.				
	658	2334		INSTL OM ASSM (OM-2Z)(RCR)GND DOLLARS and CENTS	EA	32.000	42
				ALTERNATE NO. 1A DOLLARS and CENTS			
	416	2002		DRILL SHAFT (24 IN) DOLLARS and CENTS	LF	918.000	43
	420	2004	002	CL C CONC (BENT) DOLLARS and CENTS	CY	34.800	44

PROJECT NO: BR 2005(373), ETC.

SHEET:

COUNTY: WILBARGER

CONTROL: 0903-30-026, ETC.

HIGHWAY: CR 106, ETC.

ITEM SPECIFIC NOTES:

ITEM 100 PREPARING RIGHT-OF-WAY

The removal and replacement of any existing fence or water gap will be done by the county.

ITEMS 110 & 132 EXCAVATION & EMBANKMENT

Prior to the beginning of excavation and embankment operations, windrow the existing grass and topsoil along the right of way. Upon completion of grading, scarify the slopes and ditches longitudinally to a depth of approximately 4 inches. Return the windrowed material to the slopes and the ditches as a permanent erosion control measure. This work will not be paid for directly, but is considered subsidiary to Item 110 and Item 132.

Vary typical side slopes as directed by the Engineer.

ITEM 164 SEEDING FOR EROSION CONTROL

Multiple mobilizations of seeding are required. Areas requiring re-seeding may be eligible for repayment at the discretion of the Engineer.

Maintain and protect all seeded areas until final acceptance of the project. Maintenance includes:

1. Protection of seeded areas from traffic.
2. Mowing weeds and tall vegetation when directed by the Engineer to prevent the choking out of seedlings and the loss of moisture. Mowing is subsidiary to this item.

ITEM 166 FERTILIZER

Fertilize all areas of project that will be permanently seeded. Use fertilizer composed of one part nitrogen, one part phosphorous, and one part potassium (13-13-13). Fertilizer is considered subsidiary to Item 164.

ITEM 247 FLEXIBLE BASE

When a commercial source is utilized with a known passing triaxial test history, the triaxial requirement may be waived by the Engineer. A copy of the recent passing test results must be obtained from the Wichita Falls District Laboratory and placed in the project records.

PROJECT NO: BR 2005(373), ETC.

SHEET:

COUNTY: WILBARGER

CONTROL: 0903-30-026, ETC.

HIGHWAY: CR 106, ETC.

Type A, Grade 4 Flexible Base will have the following grading requirements:

Retained on 2 inch Sieve	0%
Retained on 7/8 inch Sieve	10-35%
Retained on #4 Sieve	45-70%
Retained on \$40 Sieve	65-85%

Soil Constants:

L.L. Max of 40

P.I. Max of 12

L.S. Min of 2

Wet Ball Mill Max of 40

Triaxial Class 1 to 2.3

Minimum Compressive Strength:

35 psi at 0 psi lateral pressure

175 psi at 15 psi lateral pressure

ITEM 409 PRESTRESSED CONCRETE PILING

This item has an alternate in the plans and estimate. The type of foundation chosen shall be used for the entire project.. This should ensure that either piling or drilled shafts are used throughout the entire project.

ITEM 428 CONCRETE SURFACE TREATMENT

Provide a Class I Surface Treatment to the bridge deck and a Class II Surface Treatment to the abutments and back walls.

Blast-clean the bridge deck before applying the Class I Surface Treatment.

ITEM 432 RIPRAP

Provide Class C Concrete for riprap.

ITEM 496 REMOVING STRUCTURES

Remove existing drill shafts 3 feet below the natural ground elevation.

The structural steel to be removed may contain lead paint. Submit a proposed demolition plan for approval by the Engineer at least 60 days prior to the desired demolition date. Demolition plan should limit disturbing areas where lead paint is located when possible. If flame cutting

PROJECT NO: BR 2005(373), ETC.

SHEET:

COUNTY: WILBARGER

CONTROL: 0903-30-026, ETC.

HIGHWAY: CR 106, ETC.

methods will be used and lead paint cannot be avoided, the Department will arrange to have the paint removed at the indicated flame-cutting locations. The paint will be removed by a separate contractor for a width of 4 inches. No paint removal will be required if other demolition methods are employed.

ITEM 502 BARRICADES, SIGNS, AND TRAFFIC HANDLING

The Traffic Control Plan (TCP) shall consist of Plan(s), Texas Manual on Uniform Traffic Control Devices for Streets and Highways, and as required by the Engineer. No variation from this Traffic Control Plan will be allowed without the written approval of the Engineer.

The superintendent and person responsible for TCP compliance shall be available by local telephone 24 hours a day. The responsible person shall be able to respond to the project within 45 minutes of notification. Replace any deficient control devices found either by state personnel or contractor's personnel within 24 hours of notification.

Ensure equipment and materials are a minimum of 16 feet from the edge of the travel lane during non-working hours.

Erect signs in locations not obstructing the traveling public's view of the normal roadway signing or necessary sight distance at intersections and curves.

Replace all damaged traffic control devices immediately. Remove any damaged traffic control devices from the project within 24 hours.

Provide additional flaggers and safety devices as directed.

ITEM 506 TEMPORARY EROSION, SEDIMENTATION, AND ENVIRONMENTAL CONTROLS

The total estimated disturbed area for this project is 1.05 acres. The disturbed area, the project specific locations (PSLs), and Contractor PSLs within one mile of the project limits will further establish the authorization requirements for storm water discharges.

Obtain any required authorization from the TCEQ for Contractor PSLs on or off ROW used for construction support activities.

Preserve existing vegetation to the greatest extent possible. Employ Best Management Practices (BMPs) in the application of the Storm Water Pollution Prevention Plan (SW3P). The SW3P is as shown on the SW3P plan sheets.

Designate a Contractor Responsible Person for Environmental Requirements (CPre) for

PROJECT NO: BR 2005(373), ETC.

SHEET:

COUNTY: WILBARGER

CONTROL: 0903-30-026, ETC.

HIGHWAY: CR 106, ETC.

implementing requirements of the SW3P. Update the SW3P as necessary to reflect any changes applicable to protecting surface water resources.

Install and maintain all control measures in accordance with the plans, manufacturer specifications, and good engineering practices. If periodic inspections or other information indicates a control has been used inappropriately or incorrectly, replace or modify the control for the site situations as directed by the Engineer.

Sediment must be removed from sediment traps or sedimentation ponds (if used) when the design capacity of the device has been reduced by 50%.

No solid materials, including building materials, shall be discharged into waters of the United States, except as authorized by a Nationwide or Individual US Army Corps of Engineers permit issued under section 404 of the Clean Water Act.

If sediments escape the construction site, off-site accumulations of sediment must be removed at a frequency sufficient to minimize off-site impacts. Remove fugitive sediment from streets or highways immediately to prevent them from being washed into sewers by the next rain event and/or posing a safety hazard to the public. Prevent construction debris, construction chemicals, and litter from becoming a pollutant source for storm water discharges by the use of appropriate means such as picking up litter daily and screening of outfalls. Install stabilized construction entrances if required by the Engineer. Removal of excess sediment from the roadways, picking up construction and other debris, and stabilized construction entrances are subsidiary to the various bid items.

The structural steel to be removed may contain lead paint. Submit a proposed demolition plan for approval by the Engineer at least 60 days prior to desired demolition date. Demolition plan should limit disturbing where lead paint is located when possible. If flame cutting methods will be used and lead paint cannot be avoided, the Department will arrange to have the paint removed at the indicated flame-cutting locations. The paint will be removed by a separate contractor for a width of 4 inches. No paint removal will be required if other demolition methods are employed.

ITEM 540 METAL BEAM GUARD FENCE

Provide round timber posts for metal beam guard fence on this project. Use Class B Concrete for terminal anchor posts.

Contractor shall coordinate with respective property owner for any guard fence being placed outside of the right of way.

ITEM 658 DELINEATOR AND OBJECT MARKER ASSEMBLIES

Attach guard fence mounted delineators utilizing a method approved by the Engineer.

PROJECT NO: BR 2005(373), ETC.

SHEET:

COUNTY: WILBARGER

CONTROL: 0903-30-026, ETC.

HIGHWAY: CR 106, ETC.

ITEM 5010 TRANSPORTABLE CELLULAR TELEPHONES

Furnish one transportable cellular telephone on this project. The Engineer will approve the service plan before purchasing. Provide a monthly detailed invoice to the Engineer for each phone furnished. Unless part of pool plan, provide phone(s) with an individual plan with a minimum of 500 minutes per month and no more than 1000 minutes per month.

CONTROL : 0903-30-026, ETC
PROJECT : BR 2005(373), ETC
HIGHWAY : CR
COUNTY : WILBARGER

TEXAS DEPARTMENT OF TRANSPORTATION

GOVERNING SPECIFICATIONS AND SPECIAL PROVISIONS

ALL SPECIFICATIONS AND SPECIAL PROVISIONS APPLICABLE TO THIS PROJECT ARE IDENTIFIED AS FOLLOWS:

STANDARD SPECIFICATIONS: ADOPTED BY THE TEXAS DEPARTMENT OF
----- TRANSPORTATION JUNE 1, 2004.
STANDARD SPECIFICATIONS ARE INCORPORATED
INTO THE CONTRACT BY REFERENCE.

ITEMS 1 TO 9 INCL., GENERAL REQUIREMENTS AND COVENANTS
ITEM 110 EXCAVATION (132)
ITEM 132 EMBANKMENT (100) (204) (210) (216) (400)
ITEM 164 SEEDING FOR EROSION CONTROL (162) (166) (168)
ITEM 168 VEGETATIVE WATERING
ITEM 169 SOIL RETENTION BLANKETS
ITEM 216 PROOF ROLLING (210)
ITEM 247 FLEXIBLE BASE (105) (204) (210) (216) (520)
ITEM 402 TRENCH EXCAVATION PROTECTION
ITEM 409 PRESTRESSED CONCRETE PILING (404) (420) (421) (424) (425)
(426) (440) (780)
ITEM 416 DRILLED SHAFT FOUNDATIONS (420) (421) (440) (448)
ITEM 420 CONCRETE STRUCTURES (400) (421) (427) (438) (440) (448)
ITEM 422 REINFORCED CONCRETE SLAB (420) (421) (424) (426) (440)
ITEM 425 PRECAST PRESTRESSED CONCRETE STRUCTURAL MEMBERS (420)
(421) (424) (426) (427) (434) (440)
ITEM 428 CONCRETE SURFACE TREATMENT (427)
ITEM 432 RIPRAP (420) (421) (427) (440)
ITEM 450 RAILING (441) (442) (445) (446) (540)
ITEM 454 BRIDGE EXPANSION JOINTS (442)
ITEM 459 GABIONS AND GABION MATTRESSES
ITEM 462 CONCRETE BOX CULVERTS AND STORM DRAINS (400) (420) (421)
(424) (440) (464)
ITEM 466 HEADWALLS AND WINGWALLS (400) (420) (421) (440)
ITEM 496 REMOVING STRUCTURES
ITEM 500 MOBILIZATION (5010)
ITEM 502 BARRICADES, SIGNS, AND TRAFFIC HANDLING
ITEM 506 TEMPORARY EROSION, SEDIMENTATION, AND ENVIRONMENTAL
CONTROLS
ITEM 540 METAL BEAM GUARD FENCE (421) (445) (529) (542) (544)

ITEM 552 WIRE FENCE (445)(492)
ITEM 658 DELINEATOR AND OBJECT MARKER ASSEMBLIES

SPECIAL PROVISIONS: SPECIAL PROVISIONS WILL GOVERN AND TAKE
----- PRECEDENCE OVER THE SPECIFICATIONS ENUMERATED
HEREON WHEREVER IN CONFLICT THEREWITH.

REQUIRED CONTRACT PROVISIONS, FEDERAL-AID CONSTRUCTION CONTRACTS
(FORM FHWA 1273, MARCH, 1994)

WAGE RATES

SPECIAL PROVISION "SCHEDULE OF LIQUIDATED DAMAGES" (000--1002)
SPECIAL PROVISION "PARTNERING" (000---002)
SPECIAL PROVISION "NOTICE TO ALL BIDDERS" (000---003)
SPECIAL PROVISION "NOTICE OF REQUIREMENT FOR AFFIRMATIVE ACTION TO
ENSURE EQUAL EMPLOYMENT OPPORTUNITY" (000---004)
SPECIAL PROVISION "DISADVANTAGED BUSINESS ENTERPRISE IN FEDERAL-AID
CONSTRUCTION" (000---461)
SPECIAL PROVISION "STANDARD FEDERAL EQUAL EMPLOYMENT OPPORTUNITY
CONSTRUCTION CONTRACT SPECIFICATIONS" (000---006)
SPECIAL PROVISION "ON-THE-JOB TRAINING PROGRAM" (000--1001)
SPECIAL PROVISION "CERTIFICATION OF NONDISCRIMINATION IN EMPLOYMENT"
(000---009)
SPECIAL PROVISION "DEPARTMENT DIVISION MAILING AND PHYSICAL ADDRESS"
(000---011)
SPECIAL PROVISION TO ITEM 1 (001---005)
SPECIAL PROVISION TO ITEM 3 (003---026)
SPECIAL PROVISION TO ITEM 4 (004---008)
SPECIAL PROVISION TO ITEM 5 (005---004)
SPECIAL PROVISION TO ITEM 6 (006---030)
SPECIAL PROVISIONS TO ITEM 7 (007---213) (007---297)
SPECIAL PROVISION TO ITEM 9 (009---009)
SPECIAL PROVISION TO ITEM 100 (100---002)
SPECIAL PROVISION TO ITEM 164 (164---002)
SPECIAL PROVISION TO ITEM 166 (166---001)
SPECIAL PROVISION TO ITEM 247 (247---020)
SPECIAL PROVISION TO ITEM 420 (420---002)
SPECIAL PROVISION TO ITEM 421 (421---024)
SPECIAL PROVISION TO ITEM 434 (434---003)
SPECIAL PROVISION TO ITEM 440 (440---001)
SPECIAL PROVISION TO ITEM 441 (441---002)
SPECIAL PROVISION TO ITEM 442 (442---005)
SPECIAL PROVISION TO ITEM 492 (492---001)
SPECIAL PROVISION TO ITEM 500 (500---004)
SPECIAL PROVISION TO ITEM 502 (502---033)
SPECIAL PROVISION TO ITEM 506 (506---010)

SPECIAL SPECIFICATIONS:

ITEM 5010 TRANSPORTABLE CELLULAR TELEPHONES

GENERAL: THE ABOVE-LISTED SPECIFICATION ITEMS ARE THOSE UNDER WHICH
----- PAYMENT IS TO BE MADE. THESE, TOGETHER WITH SUCH OTHER
PERTINENT ITEMS, IF ANY, AS MAY BE REFERRED TO IN THE ABOVE-
LISTED SPECIFICATION ITEMS, AND INCLUDING THE SPECIAL
PROVISIONS LISTED ABOVE, CONSTITUTE THE COMPLETE SPECIFI-
CATIONS FOR THIS PROJECT.