

NOTIFICATION OF ADDENDUM

ADDENDUM NO. 1

DATED 3/01/2016

Control	0617-01-190, ETC.
Project	NH 2016(807)
Highway	SH 358, ETC.
County	NUECES

Ladies/Gentlemen:

Attached please find an addendum on the above captioned project. Included in the attachment is an addendum notification which details the changes and the respective proposal pages which were added and/or changed.

Except for new bid insert pages, it is unnecessary to return any of the pages attached.

Bid insert pages must be returned with the bid proposal submitted to the Department, unless your firm is submitting a bid using a computer print out. The computer print out must be changed to reflect the new bid item information.

Contractors and material suppliers, etc. who have previously been furnished informational proposals are not being furnished a copy of the addendum. If you have a subcontractor on the above project, please advise them of this addendum. Acknowledgment of this addendum is not requested if your company has been issued a proposal stamped "This Proposal Issued for Informational Purposes."

You are required to acknowledge receipt of this addendum on the Addendum Acknowledgement form contained in your bid proposal by placing a mark in the box next to the respective addendum.

Failure to Acknowledge receipt of this addendum in your bid proposal will result in your bid not being read.

SUBJECT: PLANS AND PROPOSAL ADDENDUMS

PROJECT: NH 2016(807)

CONTROL: 0617-01-190

COUNTY: NUECES

LETTING: 03/03/2016

REFERENCE NO: 0225

PROPOSAL ADDENDUMS

PROPOSAL COVER

BID INSERTS (SH. NO.: 2-5)

GENERAL NOTES (SH. NO.: F (PLAN SHEET 6B))

SPEC LIST (SH. NO.: 2-2)

SPECIAL PROVISIONS:

ADDED: 003---008

DELETED: 003---008

SPECIAL SPECIFICATIONS:

ADDED:

DELETED:

OTHER: PLAN SHEETS 7 & 7A (E&Q SHEETS), 6B, 12 AND 20

DESCRIPTION OF ABOVE CHANGES
(INCLUDING PLANS SHEET CHANGES)

BID INSERT 2-5: CHANGE ITEM 644-6033 TO ITEM 644-6038. QUANTITY DID NOT CHANGE.

GENERAL NOTES SHEET F (PLAN SHEET 6B): MODIFIED NOTE TO ITEM 502.

SPEC LIST 2-2: SP 003---008 IS REPLACED.

PLAN SHEET 7 & 7A (E&Q SHEETS): CHANGED DUE TO ABOVE CHANGES.

PLAN SHEET 12 AND 20: CHANGED DUE TO ABOVE CHANGES.

ALT	ITEM-CODE			UNIT BID PRICE ONLY. WRITTEN IN WORDS	UNIT	APPROX QUANTITIES	DEPT USE ONLY
	ITEM NO	DESC CODE	S.P. NO.				
	104	6029		REMOVING CONC (CURB OR CURB & GUT- TER) DOLLARS and CENTS	LF	96.000	1
	341	6008		D-GR HMA TY-B PG64-22 DOLLARS and CENTS	TON	5.000	2
	348	6007		TBWC (MEMBRANE) DOLLARS and CENTS	GAL	96,100.000	3
	348	6008		TBWC (ASPHALT) DOLLARS and CENTS	TON	1,323.000	4
	348	6009		TBWC (AGGREGATE)(TY C) DOLLARS and CENTS	TON	22,702.000	5
	351	6002		FLEXIBLE PAVEMENT STRUCTURE REPAIR(6") DOLLARS and CENTS	SY	593.000	6
	354	6077		PLANE ASPH CONC PAV (0" TO 3/4") DOLLARS and CENTS	SY	53,306.000	7
	354	6090		PLANE ASPH CONC PAV (3/4") DOLLARS and CENTS	SY	21,536.000	8
	496	6014		REMOV STR (RAILROAD CROSSING) DOLLARS and CENTS	EA	2.000	9
	500	6001		MOBILIZATION DOLLARS and CENTS	LS	1.000	10
	502	6001		BARRICADES, SIGNS AND TRAFFIC HAN- DLING DOLLARS and CENTS	MO	3.000	11

ALT	ITEM-CODE			UNIT BID PRICE ONLY. WRITTEN IN WORDS	UNIT	APPROX QUANTITIES	DEPT USE ONLY
	ITEM NO	DESC CODE	S.P. NO.				
	506	6041	002	BIODEG EROSN CONT LOGS (INSTL) (12") DOLLARS and CENTS	LF	2,137.000	12
	506	6043	002	BIODEG EROSN CONT LOGS (REMOVE) DOLLARS and CENTS	LF	2,137.000	13
	529	6002		CONC CURB (TY II) DOLLARS and CENTS	LF	64.000	14
	529	6008		CONC CURB & GUTTER (TY II) DOLLARS and CENTS	LF	32.000	15
	636	6001		ALUMINUM SIGNS (TY A) DOLLARS and CENTS	SF	36.000	16
	636	6003		ALUMINUM SIGNS (TY O) DOLLARS and CENTS	SF	5,910.250	17
	644	6038		IN SM RD SN SUP&AM TYS80(1)SA(U-EXAL) DOLLARS and CENTS	EA	11.000	18
	644	6076		REMOVE SM RD SN SUP&AM DOLLARS and CENTS	EA	5.000	19
	647	6003		REMOVE LRSA DOLLARS and CENTS	EA	2.000	20
	650	6205		REMOVE OVERHD SIGN SUP (SIGN ONLY) DOLLARS and CENTS	EA	35.000	21
	654	6007		REMOVE SIGN WALKWAY DOLLARS and CENTS	EA	5.000	22
	658	6027		INSTL DEL ASSM (D-SY)SZ (BRF)CTB (BI) DOLLARS and CENTS	EA	328.000	23

ALT	ITEM-CODE			UNIT BID PRICE ONLY. WRITTEN IN WORDS	UNIT	APPROX QUANTITIES	DEPT USE ONLY
	ITEM NO	DESC CODE	S.P. NO.				
	662	6052		WK ZN PAV MRK REMOV (REFL) TY II-C-R DOLLARS and CENTS	EA	3,313.000	24
	662	6109		WK ZN PAV MRK SHT TERM (TAB)TY W DOLLARS and CENTS	EA	13,684.000	25
	666	6036		REFL PAV MRK TY I (W)8"(SLD)(100MIL) DOLLARS and CENTS	LF	29,735.000	26
	666	6039		REFL PAV MRK TY I (W)12"(LNDP)(100MIL) DOLLARS and CENTS	LF	404.000	27
	666	6042		REFL PAV MRK TY I (W)12"(SLD)(100MIL) DOLLARS and CENTS	LF	1,234.000	28
	666	6300		RE PM W/RET REQ TY I (W)4"(BRK)(100MIL) DOLLARS and CENTS	LF	35,295.000	29
	666	6303		RE PM W/RET REQ TY I (W)4"(SLD)(100MIL) DOLLARS and CENTS	LF	76,649.000	30
	666	6315		RE PM W/RET REQ TY I (Y)4"(SLD)(100MIL) DOLLARS and CENTS	LF	80,965.000	31
	668	6074		PREFAB PAV MRK TY C (W) (12") (SLD) DOLLARS and CENTS	LF	853.000	32
	668	6076		PREFAB PAV MRK TY C (W) (24") (SLD) DOLLARS and CENTS	LF	324.000	33
	668	6077		PREFAB PAV MRK TY C (W) (ARROW) DOLLARS and CENTS	EA	24.000	34
	668	6078		PREFAB PAV MRK TY C (W) (DBL ARROW) DOLLARS and CENTS	EA	13.000	35

ALT	ITEM-CODE			UNIT BID PRICE ONLY. WRITTEN IN WORDS	UNIT	APPROX QUANTITIES	DEPT USE ONLY
	ITEM NO	DESC CODE	S.P. NO.				
	668	6080		PREFAB PAV MRK TY C (W) (UTURN ARROW) DOLLARS and CENTS	EA	12.000	36
	668	6085		PREFAB PAV MRK TY C (W) (WORD) DOLLARS and CENTS	EA	21.000	37
	668	6105		PREFAB PAV MRK TY C (Y) (8") (SLD) DOLLARS and CENTS	LF	954.000	38
	668	6108		PREFAB PAV MRK TY C (Y) (24") (SLD) DOLLARS and CENTS	LF	481.000	39
	672	6010		REFL PAV MRKR TY II-C-R DOLLARS and CENTS	EA	3,313.000	40
	677	6003		ELIM EXT PAV MRK & MRKS (8") DOLLARS and CENTS	LF	30,505.000	41
	677	6005		ELIM EXT PAV MRK & MRKS (12") DOLLARS and CENTS	LF	2,107.000	42
	677	6007		ELIM EXT PAV MRK & MRKS (24") DOLLARS and CENTS	LF	620.000	43
	677	6008		ELIM EXT PAV MRK & MRKS (ARROW) DOLLARS and CENTS	EA	24.000	44
	677	6009		ELIM EXT PAV MRK & MRKS (DBL ARROW) DOLLARS and CENTS	EA	13.000	45
	677	6012		ELIM EXT PAV MRK & MRKS (WORD) DOLLARS and CENTS	EA	19.000	46
	6001	6001		PORTABLE CHANGEABLE MESSAGE SIGN DOLLARS and CENTS	DAY	102.000	47

PROJECT NH 2016(807)
 COUNTY NUECES

Proposal Sheet
 TxDOT
 FORM 234-B I-61-5M

ALT	ITEM-CODE			UNIT BID PRICE ONLY. WRITTEN IN WORDS	UNIT	APPROX QUANTITIES	DEPT USE ONLY
	ITEM NO	DESC CODE	S.P. NO.				
	6056	6001		PREFORMED IN-LANE(TRANS) RUMBLE STRIP DOLLARS and CENTS	LF	320.000	48

Project Number: NH 2016(807)

Sheet

County: Nueces

Control:0617-01-190, Etc.

Highway: SH 358, Etc.

General Notes

Find, for your information and convenience, tools such as forms, software, materials, and various other information provided by the Department at <http://www.txdot.gov/business.html>. Please note that these tools are updated periodically and your attention is directed to the latest edition.

In the event of a called evacuation, emergencies, impending adverse weather or as directed, do not perform any work without written authorization. The District reserves the right to suspend all work in support of evacuations or emergencies occurring from other parts of the state. Any work performed, other than work directed by the Department, is unauthorized work in accordance with Item 5.

Sweep, clean and remove any construction waste, surplus materials or debris from the roadway and right of way at the end of each day unless otherwise approved. The work performed will not be measured or paid for directly, but will be subsidiary to pertinent Items.

Asphalt application season will be established in accordance with Item 316.4.4 Adverse Weather Conditions or as directed by the Engineer

Cut existing pavement using a saw or other approved method to ensure a neat transverse and/or longitudinal line to assure a smooth tie-in with new pavement. Cut to a minimum depth of the final lift thickness. The work performed will not be measured or paid for directly, but will be subsidiary to pertinent Items.

Promptly pick up and properly dispose of paper and other materials used for pavement joints.

All pavement markings shall be in accordance with the latest edition of Texas MUTCD.

ITEM 2

It is recommended that prospective bidders examine the specified work locations with the Engineer to view the nature of the work, the need for close coordination with the various

County: Nueces

Control:0617-01-190, Etc.

Highway: SH 358, Etc.

utilities, traffic control considerations, and other factors influencing the prosecution of the work.

Submit pre-letting questions, by email only, to Martin.Horst@txdot.gov and Robert.Isassi@txdot.gov that contains "CSJ 0617-01-190 CONTRACTOR QUESTIONS" in the subject line. An electronic file containing pre-letting questions and TxDOT answers will be provided on TxDOT's FTP site.

In addition, an electronic file containing pre-letting questions and answers will be uploaded to the following site that can be downloaded by using the Login Name and Password as follows:

Website Address (to be typed into windows explorer): <ftp://username@ftp.txdot.gov>

Username: Corpus-AO-ro

Password: ABC123

ITEM 5

Field verify all dimensions and notify Engineer prior to initiating any work.

Verify the locations of utilities, underground or overhead, shown within the limits of the right-of-way. Adhere to OSHA Standards when working within the vicinity of overhead power lines. Coordinate with the utility companies and notify the Engineer of any possible conflicts. The work performed will not be measured or paid for directly, but will be subsidiary to pertinent Items.

The 811 call services for utility locations do not include TxDOT facilities. The Contractor shall contact the Corpus Christi District Signal Section (361-739-6044) for coordination with TxDOT underground lines.

Notify the Engineer immediately of utility conflicts in accordance with Item 5.6. Refer to Item 4.5 for consideration of differing site conditions.

The responsibility for the construction surveying on this contract will be in accordance with Item 5.9.3, "Method C".

Place construction stake or mark at intervals of no more than 100 ft or as directed.

County: Nueces

Control:0617-01-190, Etc.

Highway: SH 358, Etc.

Before overlaying the roadway, the Contractor will be responsible for noting and recording the locations and configuration of all existing pavement markings for use in installing the final permanent pavement markings. All cross streets are to be striped as existing, unless shown otherwise in the plans or as determined by the Engineer.

No alignment data will be provided for this project.

ITEM 7

The work performed for Item 7.2.4, "Public Safety and Convenience" will not be measured or paid for directly, but will be subsidiary to pertinent Items.

When working at street, farm-to-market, state highway, and county road intersections, schedule work to minimize intersection closures. During nonworking hours, all public road intersections will be open to the traveling public.

The total disturbed area for this project is 0.0 acres. The disturbed area in this project, all project locations in the Contract, and Contractor project specific locations (PSLs), within 1 mile of the project limits, for the Contract will further establish the authorization requirements for storm water discharges. The Department will obtain an authorization to discharge storm water from the Texas Commission on Environmental Quality (TCEQ) for the construction activities shown on the plans. The Contractor is to obtain any required authorization from the TCEQ for any Contractor PSLs for construction support activities on or off ROW. When the total area disturbed for all projects in the Contract and PSLs within 1 mile of the project limits exceeds 5 acres, provide a copy of the Contractor NOI for PSLs on the ROW to the Engineer.

Comply with the Texas Aggregate Quarry and Pit Safety Act for waste areas or material source areas resulting from this project.

ITEM 8

Prepare the progress schedule using the Critical Path Method (CPM). Submit (2) two 11" x 17" hard copies and an electronic file of the original or updated progress schedule. Submit the original progress schedule seven (7) days before the Preconstruction Conference.

Project Number: NH 2016(807)

Sheet

County: Nueces

Control:0617-01-190, Etc.

Highway: SH 358, Etc.

Submit an updated progress schedule as directed to show proposed major changes, changes affecting compliance with the contract requirements, or changes affecting the critical path/controlling item of work.

Working days will be computed and charge in accordance with Article 8.3.1.4, "Standard Workweek".

Lane closures for mainlane work and frontage work are not permitted Sunday through Thursday before 9 PM or after 6 AM unless approved.

Upon the approval of the Engineer, lane closures will be permitted for minor items of work during the following times:

Saturday--- 6 AM to 12 PM

Sunday--- 6 AM to 2 PM

Any lane closed or obstructed beyond the periods permitted will be assessed a lane rental charge. The following lane rentals charges will apply:

Weekdays/Weekends = \$1,200/hr/lane/direction---for one lane closed

Weekdays/Weekends = \$2,400/hr/lane/direction---for two lanes closed

Weekdays/Weekends = \$3,600/hr/lane/direction---for three lanes closed

Nighttime work is required for mainlane and frontage road work.

Notify the Engineer at least 48 hours in advance of weekend work.

ITEM 9

Monthly progress payments will be made for items of work completed by the 28th day of each month. Any work completed after the 28th will be included for payment in the subsequent monthly progress estimate.

County: Nueces

Control:0617-01-190, Etc.

Highway: SH 358, Etc.

Submit signed request for compensation of material-on-hand (MOH), including any requests from subcontractors, suppliers, or fabricators for MOH, at least two (2) working days prior to the end of the month on the Departments approved forms.

ITEM 348

Use asphalt with a PG binder of 76-22

If the materials furnished are found to have stripping characteristics, the Engineer may require the addition of an approved antistripping agent conforming to the requirements of Item 301 "Asphalt Antistripping Agents". The cost of the antistripping additives will not be paid for separately but shall be considered subsidiary to the various bid items. If an antistripping agent is used, a test section with the antistripping agent may be required.

Provide aggregates with a minimum surface aggregate classification (SAC) of "A" unless otherwise shown. SAC requirements apply to aggregates used on all final roadway surfaces, including shoulders.

The use of Reclaimed Asphalt Pavement (RAP) or Recycled Asphalt Shingles (RAS) will not be allowed on surface mixtures.

ITEM 354

All reclaimable asphalt material (R.A.P) shall become the property of the Contractor.

ITEM 500

"Materials on Hand" payments are not considered when determining partial payments.

ITEM 502

Furnish additional barricades, signs, and traffic handling as directed. The work performed will not be measured or paid for directly, but will be subsidiary to pertinent Items.

County: Nueces

Control:0617-01-190, Etc.

Highway: SH 358, Etc.

Traffic control for nighttime lane closures shall be in accordance with applicable standard sheets.

Traffic control for daytime lane closures shall be in accordance with TCP 2 Series Standards. Traffic control shall include temporary rumble strips in accordance with WZ (RS)-14.

When advanced warning flashing arrow panels are specified, furnish one (1) standby unit in good condition at the job site for immediate use.

The Contractor's Responsible Person (CRP) or his representative(s) shall be located within one hour of traveling time to the project site. The Contractor shall notify the Engineer in writing of the name, physical address, and telephone number of this employee or these employees. The Engineer shall furnish this information to local law enforcement officials.

Maintain traffic control devices by taking corrective action as soon as possible. Complete corrective action within 48 hours of written notification regardless of the day of the week involved unless otherwise directed.

The Contractor Force Account "Law Enforcement Personnel" that has been established for this project is intended to provide two or more off-duty police officers during traffic control operations, the number of and their use will be as directed by the engineer.

ITEM 504

No field office will be required for this project.

Provide one (1) Type D Structure (Asphalt Mix Control Laboratory).

Portable toilets will not be allowed.

Secure all exterior openings with bars.

Apply for and secure permits necessary for the buildings, and pay all utility meter deposits and service bills. The work performed will not be measured or paid for directly, but will be subsidiary to pertinent Items.

Project Number: NH 2016(807)

Sheet

County: Nueces

Control:0617-01-190, Etc.

Highway: SH 358, Etc.

Provide 2 sets of keys for all facilities.

Provide 2 standard size office desks, 4 office chairs, 2 bookcases, and 2 filing cabinets as approved. Provide solar screens, blinds, or shades.

Provide internet connectivity, a printer/fax/scan/copier, and a telephone.

Provide hot water or a hot water dispenser capable of generating one (1) gallon of water at 140 degrees Fahrenheit with acceptable water pressure.

Provide Safety Equipment as follows:

(1) ONE EYE WASH STATION

(2) ONE FIRST AID KIT

Provide doors with a minimum width of 36 inches and 80 inches in height. Secure all exterior openings with bars.

Asphalt content will be measured by Ignition Method.

Provide electrical service for the asphalt content by Ignition Method.

ITEM 506

Designate in writing a Contractor Responsible Person (CRP) for implementing, maintaining, and reviewing environmental requirements.

ITEM 585

Use Surface Test Type B and Pay Adjustment Schedule 2 to evaluate ride quality of the travel lanes in accordance with Item 585, "Ride Quality for Pavement Surfaces."

Use latest version of approved Ride Quality Software.

For QC Testing, provide inertial profiler results the same working day after paving.

County: Nueces

Control:0617-01-190, Etc.

Highway: SH 358, Etc.

For QA Testing, provide the Engineer the opportunity to witness the testing. Provide a seat for the Engineer in the test vehicle or arrange for the Engineer to follow the test vehicle if requested.

ITEM 636

Contractor will furnish and place new anchor bolts, nuts, washers, and templates. All hardware shall be galvanized. All hardware used to mount signs shall be subsidiary to Item 636 and shall be approved by the Engineer.

All signs removed shall become the property of the Contractor.

ITEM 666

Establish and mark the location of existing standard pavement markings including but not limited to edge lines, transitions, and gore areas, etc.

Place pavement markings no later than 14 calendar days after the placement of the surface. When inclement weather prohibits placement of the markings, the 14-day period may be extended until weather permits proper application.

ITEM 6001

Furnish the portable changeable message signs displaying the correct message at least seven (7) days prior to beginning work or as directed.

The Contractor's Responsible Person (CRP) will maintain full control of messages at all times.

The Engineer will provide the sign message text to use at each sign.

A minimum of 2 PCMS will be required. However, additional units may be necessary depending on the work in progress.

Project Number: NH 2016(807)

Sheet

County: Nueces

Control:0617-01-190, Etc.

Highway: SH 358, Etc.

Standby time will not be measured or paid for directly, but will be subsidiary to pertinent Items.

Portable changeable message signs may be moved and message changed at any time as deemed necessary by the Engineer. This will be considered subsidiary to Item 6001.

Project Number: NH 2016(807)

Sheet

County: Nueces

Control:0617-01-190, Etc.

Highway: SH 358, Etc.

SPECIFICATION DATA

UNIT WEIGHT ESTIMATES

ITEM 348 – THIN BONDED WEARING COURSE (TBWC)

THIN BONDED WEARING COURSE (MEMBRANE)-----0.2 GAL/SY

THIN BONDED WEARING COURSE (TYPE C)-----100 LBS/SY

94.5% AGGREGATE

5.5% ASPHALT

CONTROL : 0617-01-190, ETC
PROJECT : NH 2016(807)
HIGHWAY : SH 358, ETC
COUNTY : NUECES

TEXAS DEPARTMENT OF TRANSPORTATION

GOVERNING SPECIFICATIONS AND SPECIAL PROVISIONS

ALL SPECIFICATIONS AND SPECIAL PROVISIONS APPLICABLE TO THIS PROJECT ARE IDENTIFIED AS FOLLOWS:

STANDARD SPECIFICATIONS: ADOPTED BY THE TEXAS DEPARTMENT OF
----- TRANSPORTATION NOVEMBER 1, 2014.
STANDARD SPECIFICATIONS ARE INCORPORATED
INTO THE CONTRACT BY REFERENCE.

ITEMS 1 TO 9 INCL., GENERAL REQUIREMENTS AND COVENANTS
ITEM 104 REMOVING CONCRETE
ITEM 341 DENSE-GRADED HOT-MIX ASPHALT (300)(301)(320)(520)(585)
ITEM 348 THIN BONDED FRICTION COURSES (210)(300)(301)(320)(342)
(520)(585)
ITEM 351 FLEXIBLE PAVEMENT STRUCTURE REPAIR (132)(204)(247)(260)
(263)(275)(276)(292)(310)(316)(330)(334)(340)
ITEM 354 PLANING AND TEXTURING PAVEMENT
ITEM 496 REMOVING STRUCTURES
ITEM 500 MOBILIZATION
ITEM 502 BARRICADES, SIGNS, AND TRAFFIC HANDLING
ITEM 506 TEMPORARY EROSION, SEDIMENTATION, AND ENVIRONMENTAL
CONTROLS (161)(432)(556)
ITEM 529 CONCRETE CURB, GUTTER, AND COMBINED CURB AND GUTTER (360)
(420)(421)(440)
ITEM 636 SIGNS (643)
ITEM 644 SMALL ROADSIDE SIGN ASSEMBLIES (421)(440)(441)(442)(445)
(636)(643)(656)
ITEM 647 LARGE ROADSIDE SIGN SUPPORTS AND ASSEMBLIES (416)(421)
(440)(441)(442)(445)(636)
ITEM 650 OVERHEAD SIGN SUPPORTS (416)(420)(421)(441)(442)(445)
(449)(618)(636)(654)
ITEM 654 SIGN WALKWAYS (441)(445)
ITEM 658 DELINEATOR AND OBJECT MARKER ASSEMBLIES (445)
ITEM 662 WORK ZONE PAVEMENT MARKINGS (666)(668)(672)(677)
ITEM 666 RETROREFLECTORIZED PAVEMENT MARKINGS (316)(502)(662)(677)
(678)
ITEM 668 PREFABRICATED PAVEMENT MARKINGS (678)
ITEM 672 RAISED PAVEMENT MARKERS (677)(678)
ITEM 677 ELIMINATING EXISTING PAVEMENT MARKINGS AND MARKERS (300)

(302) (316)

SPECIAL PROVISIONS: SPECIAL PROVISIONS WILL GOVERN AND TAKE
----- PRECEDENCE OVER THE SPECIFICATIONS ENUMERATED
HEREON WHEREVER IN CONFLICT THEREWITH.

REQUIRED CONTRACT PROVISIONS, FEDERAL-AID CONSTRUCTION CONTRACTS
(FORM FHWA 1273, MAY, 2012)

WAGE RATES

SPECIAL PROVISION "SCHEDULE OF LIQUIDATED DAMAGES" (000---001)
SPECIAL PROVISION "NONDISCRIMINATION" (000---002)
SPECIAL PROVISION "CERTIFICATION OF NONDISCRIMINATION IN EMPLOYMENT"
(000---003)
SPECIAL PROVISION "NOTICE OF REQUIREMENT FOR AFFIRMATIVE ACTION TO
ENSURE EQUAL EMPLOYMENT OPPORTUNITY" (000---004)
SPECIAL PROVISION "STANDARD FEDERAL EQUAL EMPLOYMENT OPPORTUNITY
CONSTRUCTION CONTRACT SPECIFICATIONS" (000---005)
SPECIAL PROVISION "ON-THE-JOB TRAINING PROGRAM" (000---006)
SPECIAL PROVISION "DISADVANTAGED BUSINESS ENTERPRISE IN FEDERAL AID
CONTRACTS" (000---007)
SPECIAL PROVISION "IMPORTANT NOTICE TO CONTRACTORS" (000---010)
SPECIAL PROVISION TO ITEM 2 (002---004)
SPECIAL PROVISION TO ITEM 3 (003---008)
SPECIAL PROVISION TO ITEM 6 (006---001)
SPECIAL PROVISIONS TO ITEM 7 (007---001) (007---003) (007---004)
SPECIAL PROVISION TO ITEM 300 (300---009)
SPECIAL PROVISION TO ITEM 506 (506---002)

SPECIAL SPECIFICATIONS:

ITEM 6001 PORTABLE CHANGEABLE MESSAGE SIGN
ITEM 6056 PREFORMED IN-LANE (TRANSVERSE)/CENTERLINE RUMBLE STRIPS

GENERAL: THE ABOVE-LISTED SPECIFICATION ITEMS ARE THOSE UNDER WHICH
----- PAYMENT IS TO BE MADE. THESE, TOGETHER WITH SUCH OTHER
PERTINENT ITEMS, IF ANY, AS MAY BE REFERRED TO IN THE ABOVE-
LISTED SPECIFICATION ITEMS, AND INCLUDING THE SPECIAL
PROVISIONS LISTED ABOVE, CONSTITUTE THE COMPLETE SPECIFI-
CATIONS FOR THIS PROJECT.

Special Provision to Item 3

Award and Execution of Contract



Item 3, "Award and Execution of Contract" of the Standard Specifications is amended with respect to the clauses cited below. No other clauses or requirements of this Item are waived or changed.

Article 4. "Execution of Contract," is supplemented by the following:

Section 4.7. Certificate of Interested Parties Disclosure. Submit a signed notarized Certificate of Interested Parties Disclosure form 1295 downloaded from the Texas Ethics Commission's website.