

NOTIFICATION OF ADDENDUM

ADDENDUM NO. 1

DATED 6/30/2011

Control	0033-05-084, ETC.
Project	NH 1102(364)
Highway	US 83
County	JONES, ETC.

Ladies/Gentlemen:

Attached please find an addendum on the above captioned project. Included in the attachment is an addendum notification which details the changes and the respective proposal pages which were added and/or changed.

Except for new bid insert pages, it is unnecessary to return any of the pages attached.

Bid insert pages must be returned with the bid proposal submitted to the Department, unless your firm is submitting a bid using a computer print out. The computer print out must be changed to reflect the new bid item information.

Contractors and material suppliers, etc. who have previously been furnished informational proposals are not being furnished a copy of the addendum. If you have a subcontractor on the above project, please advise them of this addendum. Acknowledgment of this addendum is not requested if your company has been issued a proposal stamped "This Proposal Issued for Informational Purposes."

You are required to acknowledge receipt of this addendum on the Addendum Acknowledgement form contained in your bid proposal by placing a mark in the box next to the respective addendum.

Failure to Acknowledge receipt of this addendum in your bid proposal will result in your bid not being read.

SUBJECT: PLANS AND PROPOSAL ADDENDUMS

PROJECT: NH 1102(364)

CONTROL: 0033-05-084

COUNTY: JONES

LETTING: 07/08/2011

REFERENCE NO: 0630

PROPOSAL ADDENDUMS

_ PROPOSAL COVER

X BID INSERTS (SH. NO.: 1-4)

_ GENERAL NOTES (SH. NO.:)

X SPEC LIST (SH. NO.: 2-3 AND 3-3)

X SPECIAL PROVISIONS:

ADDED: 344---009)

DELETED:

_ SPECIAL SPECIFICATIONS:

ADDED:

DELETED:

X OTHER: SEE CHANGES BELOW

DESCRIPTION OF ABOVE CHANGES

(INCLUDING PLANS SHEET CHANGES)

BID INSERTS: SHEET 1-4 - ADDED SP 009 TO ITEMS 344-2011 AND 344-2120.

SPEC LIST: SHEET 2-3 - ADDED SP (344---009).

SHEET 3-3 - REVISED DUE TO SHIFTING.

PLAN SHEET: 14 REVISED DUE ABOVE CHANGES.

ALT	ITEM-CODE			UNIT BID PRICE ONLY. WRITTEN IN WORDS	UNIT	APPROX QUANTITIES	DEPT USE ONLY
	ITEM NO	DESC CODE	S.P. NO.				
	110	2003		EXCAVATION (SPECIAL) and DOLLARS CENTS	CY	56.000	1
	134	2002		BACKFILL (TY B) and DOLLARS CENTS	STA	391.000	2
1	316	2006	016	ASPH (AC-20-5TR) and DOLLARS CENTS	GAL	79,475.000	3
1	316	2223	016	AGGR(TY-PB GR-4 SAC-B) and DOLLARS CENTS	CY	1,920.000	4
	344	2011	009	PRF-DSGN-MX SP-B PG64-22 and DOLLARS CENTS	TON	1,038.000	5
	344	2120	009	PRF-DSGN-MX SP-D SAC-B PG70-22 and DOLLARS CENTS	TON	27,190.000	6
	354	2020		PLANE ASPH CONC PAV(0" TO 1") and DOLLARS CENTS	SY	2,609.000	7
	354	2022		PLANE ASPH CONC PAV(0" TO 3") and DOLLARS CENTS	SY	2,330.000	8
	354	2042		PLANE ASPH CONC PAV (8") and DOLLARS CENTS	SY	2,110.000	9
	354	2045		PLANE ASPH CONC PAV (2") and DOLLARS CENTS	SY	47,369.000	10
	354	2088		PLANE ASPH CONC PAV (0" TO 5") and DOLLARS CENTS	SY	2,889.000	11

ALT	ITEM-CODE			UNIT BID PRICE ONLY. WRITTEN IN WORDS	UNIT	APPROX QUANTITIES	DEPT USE ONLY
	ITEM NO	DESC CODE	S.P. NO.				
	454	2007		HEADER TYPE EXPANSION JOINT DOLLARS and CENTS	CF	8.400	12
	454	2008		JOINT SEALANT DOLLARS and CENTS	LF	76.000	13
	500	2001	005	MOBILIZATION DOLLARS and CENTS	LS	1.000	14
	502	2001	033	BARRICADES, SIGNS AND TRAFFIC HAN- DLING DOLLARS and CENTS	MO	3.000	15
	533	2006	014	SHOULDER TEXTURING (MILLED)(ASPHALT) DOLLARS and CENTS	LF	903.000	16
	540	2001	023	MTL W-BEAM GD FEN (TIM POST) DOLLARS and CENTS	LF	2,575.000	17
	540	2002	023	MTL W-BEAM GD FEN (STEEL POST) DOLLARS and CENTS	LF	50.000	18
	540	2005	023	TERMINAL ANCHOR SECTION DOLLARS and CENTS	EA	4.000	19
	540	2011	023	MTL BEAM GD FEN TRANS (THRIE-BEAM) DOLLARS and CENTS	EA	6.000	20
	542	2001		REMOVING METAL BEAM GUARD FENCE DOLLARS and CENTS	LF	2,800.000	21

ALT	ITEM-CODE			UNIT BID PRICE ONLY. WRITTEN IN WORDS	UNIT	APPROX QUANTITIES	DEPT USE ONLY
	ITEM NO	DESC CODE	S.P. NO.				
	544	2003		GUARDRAIL END TREATMENT (REMOVE) DOLLARS and CENTS	EA	8.000	22
	544	2004		GDRAIL END TRT(INST)(WOOD POST)(TY I) DOLLARS and CENTS	EA	8.000	23
	658	2258		INSTL DEL ASSM (D-SW)SZ (TYC)CTB DOLLARS and CENTS	EA	18.000	24
	658	2260		INSTL DEL ASSM (D-SW)SZ (TYC)GF1 DOLLARS and CENTS	EA	39.000	25
	658	2277		INSTL DEL ASSM (D-SY)SZ (TYC)CTB DOLLARS and CENTS	EA	12.000	26
	658	2279		INSTL DEL ASSM (D-SY)SZ (TYC)GF1 DOLLARS and CENTS	EA	33.000	27
	658	2309		INSTL DEL ASSM (D-DY)SZ 2(WC) GND DOLLARS and CENTS	EA	16.000	28
	662	2001		WK ZN PAV MRK NON-REMOV (W) 4" (BRK) DOLLARS and CENTS	LF	12,660.000	29
	662	2113		WK ZN PAV MRK SHT TERM (TAB) TY W DOLLARS and CENTS	EA	5,094.000	30
	666	2036		REFL PAV MRK TY I (W) 8" (SLD)(100MIL) DOLLARS and CENTS	LF	3,639.000	31
	666	2048		REFL PAV MRK TY I (W) 24"(SLD)(100MIL) DOLLARS and CENTS	LF	160.000	32

ALT	ITEM-CODE			UNIT BID PRICE ONLY. WRITTEN IN WORDS	UNIT	APPROX QUANTITIES	DEPT USE ONLY
	ITEM NO	DESC CODE	S.P. NO.				
	666	2132		REFL PAV MRK TY I (Y) 24"(SLD)(100MIL) DOLLARS and CENTS	LF	160.000	33
	672	2010	034	REFL PAV MRKR TY I-A DOLLARS and CENTS	EA	192.000	34
	672	2017	034	REFL PAV MRKR TY II-C-R DOLLARS and CENTS	EA	974.000	35
	8251	2003	005	RE PM W/RET REQ TY I(W)4"(BRK)(100MIL) DOLLARS and CENTS	LF	12,530.000	36
	8251	2006	005	RE PM W/RET REQ TY I(W)4"(SLD)(100MIL) DOLLARS and CENTS	LF	50,417.000	37
	8251	2018	005	RE PM W/RET REQ TY I(Y)4"(SLD)(100MIL) DOLLARS and CENTS	LF	50,559.000	38
				ALTERNATE NO. 1A DOLLARS and CENTS			
	318	2164	010	AGGR(TY-PB GR-4 SAC-B) DOLLARS and CENTS	CY	2,102.000	39
	318	2409	010	A-R BINDER (TYPE II) DOLLARS and CENTS	GAL	97,137.000	40

CONTROL : 0033-05-084, ETC
PROJECT : NH 1102(364)
HIGHWAY : US 83
COUNTY : JONES, ETC

TEXAS DEPARTMENT OF TRANSPORTATION

GOVERNING SPECIFICATIONS AND SPECIAL PROVISIONS

ALL SPECIFICATIONS AND SPECIAL PROVISIONS APPLICABLE TO THIS PROJECT ARE IDENTIFIED AS FOLLOWS:

STANDARD SPECIFICATIONS: ADOPTED BY THE TEXAS DEPARTMENT OF
----- TRANSPORTATION JUNE 1, 2004.
STANDARD SPECIFICATIONS ARE INCORPORATED
INTO THE CONTRACT BY REFERENCE.

- ITEMS 1 TO 9 INCL., GENERAL REQUIREMENTS AND COVENANTS
- ITEM 110 EXCAVATION (132)
- ITEM 134 BACKFILLING PAVEMENT EDGES (168)
- ITEM 316 SURFACE TREATMENTS (210)(300)(302)(520)
- ITEM 318 HOT ASPHALT-RUBBER SURFACE TREATMENTS (210)(300)(302)
(520)
- ITEM 344 PERFORMANCE-DESIGN MIXTURES (210)(300)(301)(320)(340)
(520)(585)
- ITEM 354 PLANING AND TEXTURING PAVEMENT
- ITEM 454 BRIDGE EXPANSION JOINTS
- ITEM 500 MOBILIZATION
- ITEM 502 BARRICADES, SIGNS, AND TRAFFIC HANDLING
- ITEM 506 TEMPORARY EROSION, SEDIMENTATION, AND ENVIRONMENTAL
CONTROLS
- ITEM 533 SHOULDER TEXTURING
- ITEM 540 METAL BEAM GUARD FENCE (421)(445)(529)(542)(544)
- ITEM 542 REMOVING METAL BEAM GUARD FENCE
- ITEM 544 GUARDRAIL END TREATMENTS
- ITEM 658 DELINEATOR AND OBJECT MARKER ASSEMBLIES (445)
- ITEM 662 WORK ZONE PAVEMENT MARKINGS (666)(668)(672)(677)
- ITEM 666 REFLECTORIZED PAVEMENT MARKINGS (316)(318)(662)(677)(678)
- ITEM 672 RAISED PAVEMENT MARKERS (677)(678)

SPECIAL PROVISIONS: SPECIAL PROVISIONS WILL GOVERN AND TAKE
----- PRECEDENCE OVER THE SPECIFICATIONS ENUMERATED
HEREON WHEREVER IN CONFLICT THEREWITH.

REQUIRED CONTRACT PROVISIONS, FEDERAL-AID CONSTRUCTION CONTRACTS

(FORM FHWA 1273, MARCH, 1994)

WAGE RATES

SPECIAL PROVISION "SCHEDULE OF LIQUIDATED DAMAGES" (000--1493)
SPECIAL PROVISION "NOTICE OF CHANGES TO U.S. DEPARTMENT OF LABOR
REQUIRED PAYROLL INFORMATION" (000--1483)
SPECIAL PROVISION "PARTNERING" (000--002)
SPECIAL PROVISION "NOTICE TO ALL BIDDERS" (000--003)
SPECIAL PROVISION "NOTICE OF REQUIREMENT FOR AFFIRMATIVE ACTION TO
ENSURE EQUAL EMPLOYMENT OPPORTUNITY" (000--004)
SPECIAL PROVISION "DISADVANTAGED BUSINESS ENTERPRISE IN FEDERAL-AID
CONTRACTS" (000--1966)
SPECIAL PROVISION "STANDARD FEDERAL EQUAL EMPLOYMENT OPPORTUNITY
CONSTRUCTION CONTRACT SPECIFICATIONS" (000--006)
SPECIAL PROVISION "ON-THE-JOB TRAINING PROGRAM" (000--1676)
SPECIAL PROVISION "CERTIFICATION OF NONDISCRIMINATION IN EMPLOYMENT"
(000--009)
SPECIAL PROVISION "DEPARTMENT DIVISION MAILING AND PHYSICAL ADDRESS"
(000--011)
SPECIAL PROVISION TO ITEM 1 (001--015)
SPECIAL PROVISION TO ITEM 2 (002--017)
SPECIAL PROVISION TO ITEM 3 (003--033)
SPECIAL PROVISION TO ITEM 4 (004--017)
SPECIAL PROVISION TO ITEM 5 (005--004)
SPECIAL PROVISION TO ITEM 6 (006--030)
SPECIAL PROVISION TO ITEM 7 (007--806)
SPECIAL PROVISIONS TO ITEM 8 (008--006)(008--119)
SPECIAL PROVISIONS TO ITEM 9 (009--009)(009--015)
SPECIAL PROVISION TO ITEM 300 (300--032)
SPECIAL PROVISION TO ITEM 302 (302--010)
SPECIAL PROVISION TO ITEM 316 (316--016)
SPECIAL PROVISION TO ITEM 318 (318--010)
SPECIAL PROVISION TO ITEM 340 (340--003)
SPECIAL PROVISION TO ITEM 344 (344--009)
SPECIAL PROVISION TO ITEM 421 (421--035)
SPECIAL PROVISION TO ITEM 500 (500--005)
SPECIAL PROVISION TO ITEM 502 (502--033)
SPECIAL PROVISION TO ITEM 506 (506--010)
SPECIAL PROVISION TO ITEM 533 (533--014)
SPECIAL PROVISION TO ITEM 540 (540--023)
SPECIAL PROVISION TO ITEM 672 (672--034)
SPECIAL PROVISION TO SPECIAL SPECIFICATION ITEM 8251 (8251--005)

SPECIAL SPECIFICATIONS:

ITEM 8094 MOBILE RETROREFLECTIVITY DATA COLLECTION FOR PAVEMENT
MARKINGS
ITEM 8251 REFLECTORIZED PAVEMENT MARKINGS WITH RETROREFLECTIVE
REQUIREMENTS (678)(8094)

GENERAL: THE ABOVE-LISTED SPECIFICATION ITEMS ARE THOSE UNDER WHICH
----- PAYMENT IS TO BE MADE. THESE, TOGETHER WITH SUCH OTHER

PERTINENT ITEMS, IF ANY, AS MAY BE REFERRED TO IN THE ABOVE-LISTED SPECIFICATION ITEMS, AND INCLUDING THE SPECIAL PROVISIONS LISTED ABOVE, CONSTITUTE THE COMPLETE SPECIFICATIONS FOR THIS PROJECT.

SPECIAL PROVISION

344---009

Performance-Designed Mixtures

For this project, Item 344, “Performance-Designed Mixtures,” of the Standard Specifications, is hereby amended with respect to the clauses cited below, and no other clauses or requirements of this Item are waived or changed hereby.

Article 344.2. Materials, Section A. Aggregate, Section 2. RAP is voided and replaced by the following:

2. RAP. RAP is salvaged, milled, pulverized, broken, or crushed asphalt pavement. Crush or break RAP so that 100% of the particles pass the 2-in. sieve.

Use of Contractor-owned RAP including HMA plant waste is permitted, unless otherwise noted in the plans. Department-owned RAP stockpiles are available for the Contractor’s use when the stockpile locations are shown on the plans. Department-owned RAP generated through required work on the Contract is available for the Contractor’s use when shown on the plans. Perform any necessary tests to ensure Contractor or Department-owned RAP is appropriate for use. Unless otherwise shown on the plans, the Department will not perform any tests or assume any liability for the quality of the Department-owned RAP.

Fractionated RAP is defined as having 2 or more RAP stockpiles whereas the RAP is divided into coarse and fine fractions. The coarse RAP stockpile will contain only material retained by processing over a 3/8 in. screen or 1/2 in. screen unless otherwise approved. The fine RAP stockpile will contain only material passing the 3/8 in. screen or 1/2 in. screen unless otherwise approved. The Engineer may allow the Contractor to use an alternate to the 3/8 in. screen or 1/2 in. screen to fractionate the RAP. The maximum percentages of fractionated RAP may be comprised of coarse or fine fractionated RAP or the combination of both coarse and fine fractionated RAP. Utilize a separate cold feed bin for each stockpile of fractionated RAP used.

Determine asphalt content and gradation of RAP stockpiles for mixture design purposes. Perform other tests on RAP when shown on the plans. Unless otherwise shown on the plans, use no more than 10% unfractionated RAP in surface mixtures and no more than 20% unfractionated RAP in non-surface mixtures that are placed within 8 in. of the final riding surface. Use no more than 30% unfractionated RAP in non-surface mixtures that are placed 8 in. or more from the final riding surface. Unless otherwise shown on the plans, use no more than 20% fractionated RAP in surface mixtures and no more than 30% fractionated RAP in non-surface mixtures that are placed within 8 in. of the final riding surface. Use no more than 40% fractionated RAP in non-surface mixtures that are placed 8 in. or more from the final riding surface. “Surface” mixtures are defined as mixtures that will be the final lift or riding surface of the pavement structure. “Non-Surface” mixtures are defined as mixtures that will be an intermediate or base layer in the pavement structure. Do not use Department or Contractor owned RAP contaminated with dirt or other objectionable materials. Do not use Department or Contractor owned RAP if

the decantation value exceeds 5% and the plasticity index is greater than 8. Test the stockpiled RAP for decantation in accordance with the laboratory method given in Tex-406-A, Part I. Determine the plasticity index using Tex-106-E if the decantation value exceeds 5%. The decantation and plasticity index requirements do not apply to RAP samples with asphalt removed by extraction.

Do not intermingle Contractor-owned RAP stockpiles with Department-owned RAP stockpiles. Remove unused Contractor-owned RAP material from the project site upon completion of the project. Return unused Department-owned RAP to the designated stockpile location.

This page intentionally left blank.