

NOTIFICATION OF ADDENDUM

ADDENDUM NO. 1

DATED 11/30/2016

Control	0180-06-101, ETC.
Project	STP 2017(304), ETC.
Highway	SH 35, ETC.
County	SAN PATRICIO, ETC.

Ladies/Gentlemen:

Attached please find an addendum on the above captioned project. Included in the attachment is an addendum notification which details the changes and the respective proposal pages which were added and/or changed.

Except for new bid insert pages, it is unnecessary to return any of the pages attached.

Bid insert pages must be returned with the bid proposal submitted to the Department, unless your firm is submitting a bid using a computer print out. The computer print out must be changed to reflect the new bid item information.

Contractors and material suppliers, etc. who have previously been furnished informational proposals are not being furnished a copy of the addendum. If you have a subcontractor on the above project, please advise them of this addendum. Acknowledgment of this addendum is not requested if your company has been issued a proposal stamped "This Proposal Issued for Informational Purposes."

You are required to acknowledge receipt of this addendum on the Addendum Acknowledgement form contained in your bid proposal by placing a mark in the box next to the respective addendum.

Failure to Acknowledge receipt of this addendum in your bid proposal will result in your bid not being read.

SUBJECT: PLANS AND PROPOSAL ADDENDUMS

PROJECT: STP 2017(304)

CONTROL: 0180-06-101

COUNTY: SAN PATRICIO

LETTING: 12/01/2016

REFERENCE NO: 1129

PROPOSAL ADDENDUMS

PROPOSAL COVER

BID INSERTS (SH. NO.:

X GENERAL NOTES (SH. NO.: E (PLAN SHEET 4B)

SPEC LIST (SH. NO.:

SPECIAL PROVISIONS:

ADDED:

DELETED:

SPECIAL SPECIFICATIONS:

ADDED:

DELETED:

OTHER:

DESCRIPTION OF ABOVE CHANGES

(INCLUDING PLANS SHEET CHANGES)

GENERAL NOTES SHEET E (PLAN SHEET 4B): UPDATED NOTES FOR ITEM 316.

County: San Patricio, etc.

Sheet

Highway: SH 35, etc.

Control: 0180-06-101, etc.

GENERAL NOTES:

General Notes

Find, for your information and convenience, tools such as forms, software, materials, and various other information provided by the Department at <http://www.txdot.gov/business.html> . Please note that these tools are updated periodically and your attention is directed to the latest edition.

In the event of a called evacuation, emergencies, impending adverse weather or as directed, do not perform any work without written authorization. The District reserves the right to suspend all work in support of evacuations or emergencies occurring from other parts of the state. Any work performed, other than work directed by the Department, is unauthorized work in accordance with Item 5.

Sweep, clean and remove any construction waste, surplus materials or debris from the roadway and right of way at the end of each day unless otherwise approved. The work performed will not be measured or paid for directly, but will be subsidiary to pertinent Items.

The Contractor shall contact the following named Maintenance Supervisors, Monday-Thursday between the hours of 8 a.m. and 5 p.m., to coordinate material stockpile locations and to provide notice of when work is to begin in their area:

Aransas County:	Danny Cox	(361)463-9340
San Patricio County:	Rudy Leos	(361)876-9829
Jim Wells County:	Cal Mora	(361)701-0120

Do not place hot asphalt-rubber seal coat when, in the Engineer's opinion, general weather conditions are unsuitable. Apply seal coat when the air temperature is 80°F and above, or above 70°F and rising. In all cases, do not apply seal coat when surface temperature is below 70°F.

The Engineer reserves the right to review the National Oceanic and Atmospheric Administration (NOAA) weather forecast and determine if the nightly air temperature is suitable for asphalt placement to prevent aggregate loss.

County: San Patricio, etc.

Sheet

Highway: SH 35, etc.

Control: 0180-06-101, etc.

Promptly pick up and properly dispose of paper and other materials used for pavement joints.

All pavement markings shall be in accordance with the latest edition of Texas MUTCD.

ITEM 2

It is recommended that prospective bidders examine the specified work locations with the Engineer to view the nature of the work, the need for close coordination with the various utilities, traffic control considerations, and other factors influencing the prosecution of the work.

Submit pre-letting questions, by e-mail only, to Charles.Benavidez@txdot.gov that contains "CSJ 180-06-101 CONTRACTOR QUESTIONS" in the subject line. An electronic file containing pre-letting questions and TxDOT answers will be provided on TxDOT's FTP site.

In addition, an electronic file containing pre-letting questions and answers will be uploaded to the following site that can be downloaded by using the Login Name and Password as follows:

Website Address (to be typed into windows explorer): <ftp://username@ftp.txdot.gov>

Username: SINTON-AO-ro

Password: WOP497

ITEM 5

Field verify all dimensions and notify Engineer prior to initiating any work.

The responsibility for the construction surveying on this contract will be in accordance with Item 5.9.3, "Method C".

Establish and mark the location of existing standard pavement markings including but not limited to edge lines, transitions, passing and no passing zones, gore areas, etc. This work will be subsidiary to Item 666.

County: San Patricio, etc.

Sheet

Highway: SH 35, etc.

Control: 0180-06-101, etc.

Establish and mark the placement limits for asphalt and aggregate loads. The placement limits will be agreed upon by the Engineer. The Contractor's measuring equipment shall be in working condition and calibrated to within the manufacturer's specification.

Verify the locations of utilities, underground or overhead, shown within the limits of the right-of-way. Adhere to OSHA Standards when working within the vicinity of overhead power lines. Coordinate with the utility companies and notify the Engineer of any possible conflicts. The work performed will not be measured or paid for directly, but will be subsidiary to pertinent Items.

The 811 call services for utility locations does not include TxDOT facilities. Contact the Corpus Christi District Signal Section (361-739-6044) for coordination with TxDOT underground lines.

Notify the Engineer immediately of utility conflicts in accordance with Item 5.6. Refer to Item 4.5 for consideration of differing site conditions.

ITEM 7

The work performed for Item 7.2.4, "Public Safety and Convenience" will not be measured or paid for directly, but will be subsidiary to pertinent Items.

When working at street, farm-to-market, state highway, and county road intersections, schedule work to minimize intersection closures. During nonworking hours, all public road intersections will be open to the traveling public.

The total disturbed area for this project is 0.00 acres. The disturbed area in this project, all project locations in the Contract, and Contractor project specific locations (PSLs), within 1 mile of the project limits, for the Contract will further establish the authorization requirements for storm water discharges. The Department will obtain an authorization to discharge storm water from the Texas Commission on Environmental Quality (TCEQ) for the construction activities shown on the plans. The Contractor is to obtain any required authorization from the TCEQ for any Contractor PSLs for construction support activities on or off ROW. When the total area disturbed for all projects in the Contract and PSLs within 1 mile of the project limits exceeds 5 acres, provide a copy of the Contractor NOI for PSLs on the ROW to the Engineer.

Comply with the Texas Aggregate Quarry and Pit Safety Act for waste areas or material source areas resulting from this project.

County: San Patricio, etc.

Sheet

Highway: SH 35, etc.

Control: 0180-06-101, etc.

ITEM 8

Prepare the progress schedule using a bar chart. Submit (2) two 11" x 17" hard copies and an electronic file of the original or updated progress schedule. Submit the original progress schedule seven (7) days before the Preconstruction Conference.

Working days will be computed and charge in accordance with Article 8.3.1.4, "Standard Workweek".

Notify the Engineer at least 48 hours in advance of weekend work, if allowed by the Engineer.

Night time work will not be allowed.

ITEM 9

Monthly progress payments will be made for items of work completed by the 28th day of each month. Any work completed after the 28th will be included for payment in the subsequent monthly progress estimate.

Submit signed request for compensation of material-on-hand (MOH), including any requests from subcontractors, suppliers, or fabricators for MOH, at least two (2) working days prior to the end of the month on the Departments approved forms.

ITEM 302

Provide aggregates with a minimum surface aggregate classification (SAC) of "B" unless otherwise shown. The SAC for sources on the Department's Aggregate Quality Monitoring Program (AQMP) is listed in the Department's Bituminous Rated Source Quality Catalogue (BRSQC). SAC requirements apply to aggregates used on all final roadway surfaces, including shoulders.

Pre-coated aggregate Type PE shall consist of crushed stone or limestone rock asphalt (LRA). Crushed stone shall consist of crushed limestone unless otherwise approved.

Section 2.1, "Aggregate" Table 3 is amended with respect to the following:

General Notes

Sheet D

County: San Patricio, etc.

Sheet

Highway: SH 35, etc.

Control: 0180-06-101, etc.

Aggregate Quality Requirements

Property	Test Method	Requirement	Remarks
Los Angeles Abrasion, %, Max	Tex-410-A	30	All aggregates

ITEM 316

Do not place surface treatment on exposed concrete structures unless directed.

Furnish a distributor equipped with a hand hose in working condition.

Material rates shown are for estimating purposes only. Adjust actual rates based on the material used, the existing condition and type of roadway surface, and as approved.

Broom and clean sealed sections of roadway and all adjacent paved surfaces, including the gutter line, of any surplus aggregate before opening to traffic or as directed.

Vacuum sweeper must perform a test strip before use.

ITEM 500

"Materials on Hand" payments are not considered when determining partial payments.

ITEM 502

Furnish additional barricades, signs, and traffic handling as directed. The work performed will not be measured or paid for directly, but will be subsidiary to pertinent Items.

Traffic control for daytime lane closures shall be in accordance with TCP (2-3)-12 and TCP (2-6)-12. Traffic control shall include temporary rumble strips in accordance with WZ (RS)-16.

County: San Patricio, etc.

Sheet

Highway: SH 35, etc.

Control: 0180-06-101, etc.

Lane closures shall be limited to daylight hours (sunrise to sunset). All equipment and traffic control devices must be off of the road by sunset. At least one lane will remain open at all times. No lane closures will be allowed on weekends or holidays unless directed by the Engineer.

When advanced warning flashing arrow panels are specified, furnish one (1) standby unit in good condition at the job site for immediate use.

The Contractor's Responsible Person (CRP) or his representative(s) shall be located within one hour of traveling time to the project site. The Contractor shall notify the Engineer in writing of the name, physical address, and telephone number of this employee or these employees. The Engineer shall furnish this information to local law enforcement officials.

Maintain traffic control devices by taking corrective action as soon as possible. Complete corrective action as per TxDOT Form 599.

Provide a positive means of communication between flaggers unless otherwise approved.

Attach stop/slow paddle to a staff with a minimum length of 6 feet to the bottom of the sign.

The use of a pilot vehicle in conjunction with flaggers will be permitted. If used, provide positive and unrestricted communication between the driver of the pilot vehicle and the flaggers. The work performed will not be measured or paid for directly, but will be subsidiary to pertinent Items.

The Contractor Force Account "Safety Contingency" that has been established for this project is intended to be utilized for work zone enhancements, to improve the effectiveness of the Traffic Control Plan, that could not be foreseen in the project planning and design stage. These enhancements will be mutually agreed upon by the Engineer and the Contractor's Responsible Person based on weekly or more frequent traffic management reviews on the project. The Engineer may choose to use existing bid items if it does not slow the implementation of enhancement.

ITEM 506

Designate in writing a Contractor Responsible Person (CRP) for implementing, maintaining, and reviewing environmental requirements.

County: San Patricio, etc.

Sheet

Highway: SH 35, etc.

Control: 0180-06-101, etc.

ITEM 662

Temporary tabs must be maintained by the Contractor until permanent pavement markings are placed. Maintenance of the temporary tabs shall be subsidiary to pertinent Items.

ITEM 666 & 668

Establish and mark the location of existing standard pavement markings including but not limited to edge lines, transitions, passing and no passing zones, gore areas, etc.

Place pavement markings no later than 14 calendar days after the placement of the surface. When inclement weather prohibits placement of the markings, the 14-day period may be extended until weather permits proper application.

ITEM 672

All existing pavement markers shall be removed from the work area prior to the placement of seal coat. The Contractor, at his expense, shall perform the removal of existing markers.

The proposed reflective pavement markers shall be placed as shown on TCP (3-3)-14.

ITEM 6001

Furnish the portable changeable message signs displaying the correct message at least seven (7) days prior to beginning work or as directed.

The Contractor's Responsible Person (CRP) will maintain full control of messages at all times.

The Engineer will provide the sign message text to use at each sign.

A minimum of two (2) PCMS will be required. However, additional units may be necessary depending on the work in progress.

County: San Patricio, etc.

Sheet

Highway: SH 35, etc.

Control: 0180-06-101, etc.

Standby time will not be measured or paid for directly, but will be subsidiary to pertinent Items.

Portable changeable message signs may be moved and message changed at any time as deemed necessary by the Engineer. This will be considered subsidiary to Item 6001.

County: San Patricio, etc.

Sheet

Highway: SH 35, etc.

Control: 0180-06-101, etc.

SPECIFICATION DATA

SURFACE TREATMENT DATA

Item	Description	Rate
316	Asphalt (A-R Type II)	0.55 gal/sy
316	Aggregate (Ty-PE Gr-4 SAC-B)	1 cy/110 sy

This page intentionally left blank.