

# NOTIFICATION OF ADDENDUM

## ADDENDUM NO. 3

**DATED 9/02/2009**

|                |                        |
|----------------|------------------------|
| <b>Control</b> | <b>6196-81-001</b>     |
| <b>Project</b> | <b>BPM - 619681001</b> |
| <b>Highway</b> | <b>SH0071</b>          |
| <b>County</b>  | <b>FAYETTE</b>         |

Ladies/Gentlemen:

Attached please find an addendum on the above captioned project. Included in the attachment is an addendum notification which details the changes and the respective proposal pages which were added and/or changed.

Except for new bid insert pages, it is unnecessary to return any of the pages attached.

Bid insert pages must be returned with the bid proposal submitted to the Department, unless your firm is submitting a bid using a computer print out. The computer print out must be changed to reflect the new bid item information.

Contractors and material suppliers, etc. who have previously been furnished informational proposals are not being furnished a copy of the addendum. If you have a subcontractor on the above project, please advise them of this addendum. Acknowledgment of this addendum is not requested if your company has been issued a proposal stamped "This Proposal Issued for Informational Purposes."

You are required to acknowledge receipt of this addendum on the Addendum Acknowledgement form contained in your bid proposal by placing a mark in the box next to the respective addendum.

Failure to Acknowledge receipt of this addendum in your bid proposal will result in your bid not being read.

SUBJECT: PLANS AND PROPOSAL ADDENDUMS

PROJECT: BPM - 619681001

CONTROL: 6196-81-001

COUNTY: FAYETTE

LETTING: 09/10/2009

REFERENCE NO: 0902

**PROPOSAL ADDENDUMS**

-----

PROPOSAL COVER

X BID INSERTS (SH. NO.: 1-1 )

GENERAL NOTES (SH. NO.: )

X SPEC LIST (SH. NO.: 1-2 )

X SPECIAL PROVISIONS:

ADDED: 4013--001

DELETED:

X SPECIAL SPECIFICATIONS:

ADDED: 4013

DELETED:

OTHER:

DESCRIPTION OF ABOVE CHANGES

(INCLUDING PLANS SHEET CHANGES)

| ALT | ITEM-CODE  |              |             | UNIT BID PRICE ONLY.<br>WRITTEN IN WORDS                               | UNIT | APPROX<br>QUANTITIES | DEPT<br>USE<br>ONLY |
|-----|------------|--------------|-------------|--|------|----------------------|---------------------|
|     | ITEM<br>NO | DESC<br>CODE | S.P.<br>NO. |  |      |                      |                     |
|     | 438        | 2002         |             | CLEAN AND SEAL EXIST JOINTS<br>DOLLARS<br>and<br>CENTS                 | LF   | 906.000              | 1                   |
|     | 454        | 2007         |             | HEADER TYPE EXPANSION JOINT<br>DOLLARS<br>and<br>CENTS                 | CF   | 559.100              | 2                   |
|     | 454        | 2008         |             | JOINT SEALANT<br>DOLLARS<br>and<br>CENTS                               | LF   | 1,258.000            | 3                   |
|     | 500        | 2001         | 005         | MOBILIZATION<br>DOLLARS<br>and<br>CENTS                                | LS   | 1.000                | 4                   |
|     | 502        | 2001         | 033         | BARRICADES, SIGNS AND TRAFFIC HAN-<br>DLING<br>DOLLARS<br>and<br>CENTS | MO   | 4.000                | 5                   |
|     | 4013       | 2002         | 001         | ASPH PLUG EXPANSION JOINT SYSTEM<br>DOLLARS<br>and<br>CENTS            | CF   | 578.600              | 6                   |

CONTROL : 6196-81-001  
PROJECT : BPM - 619681001  
HIGHWAY : SH0071  
COUNTY : FAYETTE

TEXAS DEPARTMENT OF TRANSPORTATION

**GOVERNING SPECIFICATIONS AND SPECIAL PROVISIONS**

ALL SPECIFICATIONS AND SPECIAL PROVISIONS APPLICABLE TO THIS PROJECT ARE IDENTIFIED AS FOLLOWS:

STANDARD SPECIFICATIONS: ADOPTED BY THE TEXAS DEPARTMENT OF  
----- TRANSPORTATION JUNE 1, 2004.  
STANDARD SPECIFICATIONS ARE INCORPORATED  
INTO THE CONTRACT BY REFERENCE.

ITEMS 1 TO 9 INCL., GENERAL REQUIREMENTS AND COVENANTS  
ITEM 438 CLEANING AND SEALING JOINTS AND CRACKS (RIGID PAVEMENT  
AND BRIDGE DECKS)  
ITEM 454 BRIDGE EXPANSION JOINTS <429><438>  
ITEM 500 MOBILIZATION  
ITEM 502 BARRICADES, SIGNS, AND TRAFFIC HANDLING

SPECIAL PROVISIONS: SPECIAL PROVISIONS WILL GOVERN AND TAKE  
----- PRECEDENCE OVER THE SPECIFICATIONS ENUMERATED  
HEREON WHEREVER IN CONFLICT THEREWITH.

SPECIAL PROVISION "DEPARTMENT DIVSION MAILING AND PHYSICAL ADDRESS"  
(000---011)  
SPECIAL PROVISION "SCHEDULE OF LIQUIDATED DAMAGES"  
(000--1493)  
SPECIAL PROVISION TO ITEM 1 (001---011)  
SPECIAL PROVISION TO ITEM 2 (002---017)  
SPECIAL PROVISION TO ITEM 4 (004---013)  
SPECIAL PROVISION TO ITEM 5 (005---004)  
SPECIAL PROVISION TO ITEM 6 (006---030)  
SPECIAL PROVISIONS TO ITEM 7 (007---213)(007---445)  
SPECIAL PROVISIONS TO ITEM 9 (009---002)(009---012)(009---015)  
SPECIAL PROVISION TO ITEM 429 (429---008)  
SPECIAL PROVISION TO ITEM 500 (500---005)  
SPECIAL PROVISION TO ITEM 502 (502---033)  
SPECIAL PROVISION TO SPECIAL SPECIFICATION ITEM 4013 (4013--001)

SPECIAL SPECIFICATIONS:

-----

ITEM 4013 ASPHALTIC PLUG EXPANSION JOINT SYSTEM <438>

GENERAL: THE ABOVE-LISTED SPECIFICATION ITEMS ARE THOSE UNDER WHICH  
----- PAYMENT IS TO BE MADE. THESE, TOGETHER WITH SUCH OTHER  
PERTINENT ITEMS, IF ANY, AS MAY BE REFERRED TO IN THE ABOVE-  
LISTED SPECIFICATION ITEMS, AND INCLUDING THE SPECIAL  
PROVISIONS LISTED ABOVE, CONSTITUTE THE COMPLETE SPECIFI-  
CATIONS FOR THIS PROJECT.

**SPECIAL PROVISION  
TO  
SPECIAL SPECIFICATION  
4013--001  
Asphaltic Plug Expansion Joint System**

For this project, Special Specification Item 4013, "Asphaltic Plug Expansion Joint System," is hereby amended with respect to the clauses cited below, and no other clauses or requirements of this Item are waived or changed hereby.

**Article 4. Measurement** is voided and replaced by the following:

**4. Measurement.** This Item will be measured by the cubic foot of asphaltic material

## SPECIAL SPECIFICATION

### 4013

#### Asphaltic Plug Expansion Joint System

- 1. Description.** Furnish and install an expansion joint system that consists of a blended polymer-modified asphalt and special aggregate in a prepared expansion joint blockout and that provides for all deck movements up to the manufacturer's recommended limits.
- 2. Materials.** Ensure that the polymer-modified asphalt, aggregate, backer rod, bridging plate, and joint binder conform to recommendations of the manufacturer of the approved joint system installed.

The manufacturer of the joint system must certify that all materials furnished meet manufacturing specifications and conform to the materials listed in the latest product literature. No substitution of materials is permitted.

- 3. Construction Methods.** Install the joint system according to the manufacturer's recommendation in a joint blockout prepared as shown in the plans and according to the manufacturer's specifications. If the joint blockout is less than 2 in. deep at any point along the joint, immediately notify the Engineer, who will determine suitability of the joint.

Secure the backer rod, and seal it in the joint opening according to the manufacturer's directions.

Center the bridging plate, and secure it over the joint opening according to the manufacturer's directions.

Place the joint binder, polymer-modified asphalt, and aggregate in the sequence and by the methods recommended by the manufacturer. Compact the completed joint by methods recommended by the manufacturer such that final grade of the joint after compaction matches the finished grade of the deck.

Arrange to have a representative of the joint manufacturer on site during installation of each of the joint components. The joint manufacturer's representative must be on site for the installation of the first 500 ft. of joint on the project. The representative will ensure that the substrate is properly prepared and that the joint materials are mixed, placed, and cured according to the manufacturer's recommendations. The manufacturer's representative will be present for an additional 250 ft. of joint installation each time a change is made to the installation crew.

Remove any joint that fails to meet manufacturer's specifications, and replace it with a properly installed joint at the expense of the Contractor.

Provide 2 copies of the manufacturer's product literature, specifications, and installation instructions to the Engineer.

4. **Measurement.** This Item will be measured by the foot. Measurement will be along the centerline of the joint at the surface of the roadway.
5. **Payment.** The work performed and materials furnished in accordance with this Item and measured as provided under “Measurement” will be paid for at the unit price bid for “Asphaltic Plug Expansion Joint System.” This price will be full compensation for preparing the blockout, furnishing and installing the system, for all costs and expenses of having the joint manufacturer’s representative on site during installation, and for all material, tools, equipment, labor, and incidentals necessary to complete the work.